



Wellmark Blue Cross and Blue Shield is an Independent Licensee of the Blue Cross and Blue Shield Association.

DRUG POLICY

Vtama (tapinarof)

NOTICE

This policy contains information which is clinical in nature. The policy is not medical advice. The information in this policy is used by Wellmark to make determinations whether medical treatment is covered under the terms of a Wellmark member's health benefit plan. Physicians and other health care providers are responsible for medical advice and treatment. If you have specific health care needs, you should consult an appropriate health care professional. If you would like to request an accessible version of this document, please contact customer service at 800-524-9242.

BENEFIT APPLICATION

Benefit determinations are based on the applicable contract language in effect at the time the services were rendered. Exclusions, limitations or exceptions may apply. Benefits may vary based on contract, and individual member benefits must be verified. Wellmark determines medical necessity only if the benefit exists and no contract exclusions are applicable. This policy may not apply to FEP. Benefits are determined by the Federal Employee Program.

DESCRIPTION

The intent of the Vtama (tapinarof) policy is to ensure appropriate selection of patients for therapy based on product labeling, clinical guidelines, and clinical studies. The indications below including FDA-approved indications and compendial uses are considered a covered benefit provided that all the approval criteria are met and the member has no exclusions to the prescribed therapy.

FDA-Approved Indications

Vtama (tapinarof) cream, 1% is an aryl hydrocarbon receptor agonist indicated for the topical treatment of plaque psoriasis in adults.

Vtama (tapinarof) is indicated for the topical treatment of atopic dermatitis in adults and pediatric patients 2 years of age and older.

POLICY

Criteria for Initial Approval

Plaque Psoriasis

A. Vtama (tapinarof) may be considered **medically necessary** when the following criteria are met:

- The requested drug is being prescribed for topical treatment of plaque psoriasis
AND
- The patient is 18 years of age or older
AND
 - The patient has experienced an inadequate treatment response or intolerance to at least TWO of the following (unless all options are contraindicated):

- high to super-high potency generic topical corticosteroid (i.e., betamethasone dipropionate, clobetasol, fluocinonide, or halobetasol) used concurrently with generic topical calcipotriene cream or solution, OR
- generic topical calcipotriene/betamethasone suspension
- high- to ultrahigh-potency topical corticosteroid used concurrently with generic tazarotene 0.1% cream

AND

- If additional quantities are being requested, then the requested drug is being prescribed to treat a body surface area that requires more than 60 grams per month.

Approval will be for **6 months** with a quantity limit not to exceed 60 gm per 30 days. Coverage for 120 gm per 30 days will be provided when treating a body surface area that requires more than 60 grams per month.

Atopic Dermatitis

B. Vtama (tapinarof) may be considered **medically necessary** when the following criteria are met:

- The requested drug is being prescribed for topical treatment of atopic dermatitis

AND

- The patient is 2 years of age or older

AND

- The requested drug will be used on sensitive skin areas (e.g., face, genitals, or skin folds)

AND

- The patient has experienced an inadequate treatment response, intolerance or has a contraindication to a topical calcineurin inhibitor

OR

- The patient has experienced an inadequate treatment response, intolerance or has a contraindication to a topical calcineurin inhibitor **AND** a medium or higher potency topical corticosteroid

AND

- If additional quantities are being requested, then the requested drug is being prescribed to treat a body surface area that requires more than 60 grams per month.

Approval will be for **6 months** with a quantity limit not to exceed 60 gm per 30 days. Coverage for 120 gm per 30 days will be provided when treating a body surface area that requires more than 60 grams per month.

Continuation of Therapy

Plaque Psoriasis

The continuation of treatment with the requested medication may be considered medically necessary when the patient has achieved or maintained a positive clinical response to therapy as evidenced by improvement in signs and symptoms from baseline (e.g., itching, redness, flaking, scaling, burning, cracking, pain).

Approval will be for **12 months** with a quantity limit not to exceed 60 gm per 30 days. Coverage for 120 gm per 30 days will be provided when treating a body surface area that requires more than 60 grams per month.

Atopic Dermatitis

The continuation of treatment with the requested medication may be considered medically necessary when the patient has achieved or maintained a positive clinical response as evidenced by improvement [(e.g., improvement in or resolution of any of the following signs and symptoms: erythema (redness), edema

(swelling, xerosis (dry skin), erosions, excoriation (evidence of scratching), oozing and crusting, lichenification (epidermal thickening), OR pruritus (itching))

Approval will be for **12 months** with a quantity limit not to exceed 60 gm per 30 days. Coverage for 120 gm per 30 days will be provided when treating a body surface area that requires more than 60 grams per month.

Members currently receiving the requested medication as samples or via the manufacturer's patient assistance program will be required to meet the criteria for initial approval. This ensures that members are treated equally regardless of their provider's ability to access medication samples.

Dosing and Administration

Approvals may be subject to dosing limits in accordance with FDA-approved labeling, accepted compendia, and/or evidence-based practice guidelines.

Quantity Limits

Vtama – 60 grams per 30 days

PROCEDURES AND BILLING CODES

To report provider services, use appropriate CPT* codes, Alpha Numeric (HCPCS level 2) codes, Revenue codes, and/or ICD diagnostic codes.

- Code(s), if applicable

REFERENCES

- Vtama [package insert]. Long Beach, CA: Dermavant Sciences Inc; December 2024.
- Lexicomp Online, AHFS DI (Adult and Pediatric) Online, Hudson, Ohio: UpToDate, Inc.; 2022; Accessed August 12, 2022.
- Micromedex (electronic version). IBM Watson Health, Greenwood Village, Colorado, USA. Available at: <https://www.micromedexsolutions.com>. Accessed August 12, 2022.
- Elmets CA, Korman NJ, Prater EF, et al. Joint AAD-NPF Guidelines of care for the management and treatment of psoriasis with topical therapy and alternative medicine modalities for psoriasis severity measures. *J Am Acad Dermatol*. 2021; 84(2):432-470.
- Menter A, Cordoro K, Davis D, et al. Guidelines of Care for the Management and Treatment of Psoriasis in Pediatric Patients. *J Am Acad Dermatol*. 2020;82(1):161-201.
- Eichenfield L, Tom W, Berger T, et al. Guidelines of care for the management of atopic dermatitis: Section 2. Management and treatment of atopic dermatitis with topical therapies. *J Am Acad Dermatol*. 2014;71:116-32.
- U.S. Department of Health & Human Services. Burn Triage and Treatment – Thermal Injuries. Chemical Hazards Emergency Medical Management. August 16, 2021. Available at: <https://chemm.hhs.gov/burns.htm>. Accessed August 9, 2022.
- Pascoe VL, Enamandram M, Corey KC, et al. Using the Physician Global Assessment in a Clinical Setting to Measure and Track Patient Outcomes. *JAMA Dermatol*. 2015;151(4):375–381.
- Bissonnette R, Gold LS, Rubenstein DS, et al. Tapinarof in the treatment of psoriasis: A review of the unique mechanism of action of a novel therapeutic aryl hydrocarbon receptor-modulating agent. *J Am Acad Dermatol*. 2021; 84(4):1059-1067.
- Menter A, Cordoro K, Davis D, et al. Guidelines of Care for the Management and Treatment of Psoriasis in Pediatric Patients. *J Am Acad Dermatol*. 2020;82(1):161-201.
- Elmets C, Korman N, Farley Prater E, et al. Guidelines of Care for the Management and Treatment of Psoriasis with Topical Therapy and Alternative Medicine Modalities for Psoriasis Severity Measures. *J Am Acad Dermatol*. 2021; 84 (2):432-470.

- Eichenfield L, Tom W, Berger T, et al. Guidelines of care for the management of atopic dermatitis: Section 2. Management and treatment of atopic dermatitis with topical therapies. *J Am Acad Dermatol.* 2014;71:116-32

POLICY HISTORY

Policy #: 05.04.72

Original Effective Date: December 1, 2022

Reviewed: August 2025

Revised: January 2025

Current Effective Date: March 12, 2025