

| Commercial | Exchange |
|------------|----------|
| ✓ | ✓ |



Kidney Health Evaluation for Patients with Diabetes (KED)¹

EFFECTIVENESS OF CARE HEDIS® MEASURE

What we measure

The percentage of patients 18–85 years of age with diabetes (type 1 or type 2) who received a kidney health evaluation, defined by an estimated glomerular filtration rate (eGFR) **and** a urine albumin-creatinine ration (uACR), during the measurement year.

Information to include in patient medical records

Documentation should include both of the following reported annually:

- At least one estimated glomerular filtration rate (eGFR)
- At least one urine albumin creatinine ratio (uACR) identified by the following:
 - Both a quantitative urine albumin test **and** a urine creatinine test with service dates four days or less apart
 - Or a uACR

Coding information

Submit a claim for an estimated glomerular filtration rate lab test (eGFR) **and** at least one urine albumin creatinine ratio (uACR) with service dates four days or less apart. Patient claims should include:

| CPT® code | Treatment |
|--|--|
| 80047, 80048, 80050, 80053, 80069, 82565 | Estimated Glomerular Filtration Rate Lab Test (eGFR) |
| 82043 | Quantitative Urine Albumin Test |
| 82570 | Urine Creatinine Lab Test |

Tips for success

- Annually, order kidney function tests to be completed prior to the patient's appointment. Use electronic health record (EHR) reminder messages, if available.
- Ensure uACR labs (e.g., Quantitative Urine Albumin and Urine Creatinine) are completed within four days of each other.

Tips for talking with patients

- Educate patients about the importance of routine screening of kidney function and early detection of kidney disease.
- Review diabetic services needed at each office visit.

Exclusions

Patients are excluded if they:

- Received hospice or palliative care during the measurement year.
- Had dialysis at any time during the patients' history on or prior to Dec. 31 of the measurement year.
- Have evidence of end-stage renal disease (ESRD) or dialysis any time during the patient's history on or prior to December 31st of the measurement year.
- Have Medicare and are 66 years of age or older who are enrolled in an Institutional Special Needs Plan (I-SNP) or living long term in an institution any time during the measurement year.
- Are 66-80 years of age with advanced illness **and** frailty (for additional definition information, see the [*Advanced Illness and Frailty Guide*](#)).
- Are age 81 and older with frailty during the measurement year.
- Are deceased during the measurement year.

¹Content reproduced with permission from HEDIS® MY2026, Volume 2: Technical Specifications for Health Plans by the National Committee for Quality Assurance (NCQA). To purchase copies of the publication, including the full measures and specifications, visit [ncqa.org/publications](https://www.ncqa.org/publications).

CPT® is a registered trademark of the American Medical Association. Copyright 1995–2023 American Medical Association. All rights reserved.

Wellmark Blue Cross and Blue Shield of Iowa, Wellmark Health Plan of Iowa, Inc., Wellmark Advantage Health Plan, Inc. and Wellmark Blue Cross and Blue Shield of South Dakota are independent licensees of the Blue Cross and Blue Shield Association.